



**OHIO HISTORIC PRESERVATION OFFICE:
RESOURCE PROTECTION AND REVIEW**

Section 106 Review - Project Summary Form

For projects requiring a license from the Federal Communications Commission, please use FCC Forms 620 or 621. DO NOT USE THIS FORM.

SECTION 1: GENERAL PROJECT INFORMATION

All contact information provided must include the name, address and phone number of the person listed. Email addresses should also be included, if available. Please refer to the Instructions or contact an OHPO reviewer (mailto:Section106@ohiohistory.org) if you need help completing this Form. Unless otherwise requested, we will contact the person submitting this Form with questions or comments about this project.

Date: 7/29/24

Name/Affiliation of person submitting form: Trina Woodland

Mailing Address: 127 S. Front Street, Fremont, OH 43420

Phone/Fax/Email: 614-706-0002

A. Project Info:

1. This Form provides information about:

New Project Submittal:

YES NO

Additional information relating to previously submitted project:

YES **NO**

OHPO/RPR Serial Number from previous submission:

N/A

2. Project Name (if applicable): Crooksville WW Pump Station Improvements

3. Internal tracking or reference number used by Federal Agency, consultant, and/or applicant to identify this project (if applicable): N/A

B. Project Address or vicinity: **Project will replace two wastewater pump stations in the Village of Crooksville. Pump Station B1 is located at the northeastern corner of E. Main Street and Railroad Street. Pump B6 is located at the northwestern corner of N. State Street and Mohican Drive.**

C. City/Township: **Village of Crooksville/Harrison Township**

D. County: **Perry**

E. Federal Agency and Agency Contact. *If you do not know the federal agency involved in your project, please contact the party asking you to apply for Section 106 Review, not OHPO, for this information. HUD Entitlement Communities acting under delegated environmental review authority should list their own contact information.*

Appalachian Regional Commission (ARC)

F. Type of Federal Assistance. *List all known federal sources of federal funding, approvals, and permits to avoid repeated reviews.*

ARC Grant

G. State Agency and Contact Person (if applicable):

**Ohio Development Services Agency
Julia Hinten**

H. Type of State Assistance: **N/A**

I. Is this project being submitted at the direction of a state agency **solely** under Ohio Revised Code 149.53 or at the direction of a State Agency? *Answering yes to this question means that you are sure that no federal funding, permits or approvals will be used for any part of your project, and that you are seeking comments only under ORC 149.53.*

YES **NO**

J. Public Involvement- Describe how the public has been/will be informed about this project and its potential to affect historic properties. Please summarize how they will have an opportunity to provide comments about any effects to historic properties. (This step is required for all projects under 36 CFR § 800.2):

The Crooksville Village Council meets on the first and third Monday of each month. The project has been extensively discussed and will continue to be discussed on an ongoing basis in council meetings, which are always open to the public. In addition, the village holds bi-monthly public workshops and the project has been discussed on two separate occasions at these workshops. Public commentary is encouraged at the meetings. An article

also appeared in the June 11, 2024 edition of the Zanesville Times Recorder describing the project.

- K. Please list other consulting parties that you have contacted/will contact about this project, such as Indian Tribes, Certified Local Governments, local officials, property owners, or preservation groups. (See 36 CFR § 800.2 for more information about involving other consulting parties). Please summarize how they will have an opportunity to provide comments:

RCAP contacted the following Indian Tribes and invited them to provide input on the project: The Delaware Nation, Oklahoma, The Eastern Shawnee Tribe of Oklahoma, the Miami Tribe of Oklahoma and the Seneca-Cayuga Nation. A response was requested within 30 days of notification.

SECTION 2: PROJECT DESCRIPTION AND AREA OF POTENTIAL EFFECTS (APE)

Provide a description of your project, its site, and geographical information. You will also describe your project's Area of Potential Effects (APE). Please refer to the Instructions or contact an OHPO reviewer if you need help with developing the APE or completing this form.

The proposed project will replace two Lift Stations (B1 & B6) within the Village of Crooksville. The Lift Stations are nearing the end of their useful life and are critical to the operation of the village's wastewater collection system. Lift Station B1 is located on the north side of East Main Street west of Sycamore Street, and Lift Station B6 is at the northeast corner of State Street and Mohican Drive. The replacement lift stations are within the limits of the Village of Crooksville and will be constructed adjacent to the existing systems. A new 10-inch force main will connect the replacement B1 lift station to the existing 10-inch force main running to Roseville, and a new 4-inch force main will connect the replacement B6 lift station to the same existing force main. The two replacement lift stations will use submersible pumps installed in HDPE wet wells. The majority of construction activities will be subsurface and will not affect the viewshed. The new segment of force main that will enable Lift Station B1 to pump to Roseville will be installed by horizontal directional drilling within the State Street right of way from South Delaware Drive to the existing force main near new Lift Station B6.

All construction activities will occur within the developed urban area of the Village of Crooksville. The new 10" Force Main that will be extended from South Delaware Drive to the existing 10" Force Main north of Mohican Drive will be constructed solely within the road right-of-way. Horizontal drilling will be used to cross under N. State Street. All construction activities will be subsurface. Any effect to the viewshed will be temporary, such as the presence of construction equipment and the short-term disturbance of ground necessary to install the Force Main. There will be no long-term effect on the viewshed or historic properties.

For challenging projects, provide as much information as possible in all sections, and then check the box in Section 5.A. to ask OHPO to offer preliminary comments or make recommendations about how to proceed with your project consultation. This is recommended if your project involves effects to significant historic properties or if there may be challenging procedural issues related to your project. Please note that providing information to complete all Sections will still be required and that asking OHPO for preliminary comments may tend to delay completion of the review process for some projects.

A. Does this project involve any Ground-Disturbing activity: **YES** NO
(If **Yes**, you must complete all of Section 2.A. If **No**, proceed directly to Section 2. B.)

1. General description of width, length and depth of proposed ground disturbing activity:

Ground disturbing activity will include the construction of two HDPE wet wells, 488 feet of 10-inch force main and 120 feet of 4-inch force main. The wet well for new Lift Station B1 will be 11.2 feet in diameter and 22 feet deep. The 5.5 foot diameter wet well for new Lift Station B6 will be 16 feet deep. The force mains will be installed at a depth that is typical for wastewater pipelines according to ground conditions and other environmental considerations.

2. Narrative description of previous land use and past ground disturbances, if known:

The Village of Crooksville was established in 1874. Ground use prior to that time is unknown.

3. Narrative description of current land use and conditions:

The Village of Crooksville is bisected by Moxahala Creek. All construction activities will occur in the section of the village that lies east of the creek. Current land use is urban. In addition to Moxahala Creek, the eastern section of the village is separated from the western section by a swath of forested area that is 1,298 feet at its widest point. Land use in the project areas is primarily urban.

4. Does the landowner know of any archaeological resources found on the property?
YES **NO** If yes, please describe:

B. Submit the exact project site location on a USGS 7.5-minute topographic quadrangle map for all projects. Map sections, photocopies of map sections, and online versions of USGS maps are acceptable as long as the location is clearly marked. Show the project's Area of Potential Effects (APE). It should be clearly distinguished from other features shown on the map:

1. USGS Quad Map Name: **Crooksville (map attached)**

2. Township/City/Village Name: **Harrison Township/Crooksville**

C. Provide a street-level map indicating the location of the project site; road names must be identified and legible. Your map must show the exact location of the boundaries for the project site. Show the project's Area of Potential Effects (APE). It should be clearly distinguished from other features shown on the map: **Map Attached**

- D. Provide a verbal description of the APE, including a discussion of how the APE will include areas with the potential for direct and indirect effects from the project. Explain the steps taken to identify the project's APE, and your justification for the specific boundaries chosen:

Both Lift Stations are located strategically to obstruct the viewshed as little as possible. Although there are some structures present in the viewsheds, both Lift Stations are located in sparsely populated areas of the village. There is some forestation throughout the viewshed, but none inside the project areas. Both project areas are level, well maintained areas with the electrical apparatus contained in a fenced area on the site. Project boundaries are evident as all construction will take place on the existing sites. It is important to note that all construction activities will be subsurface and will result in no long-term changes to the viewshed. Any short-term effects will be limited to the presence of construction equipment and temporary ground disturbance necessary to install the wet wells and force main.

- E. Provide a detailed description of the project. This is a critical part of your submission. Your description should be prepared for a cold reader who may not be an expert in this type of project. The information provided must help support your analysis of effects to historic properties, not other types of project impacts. Do not simply include copies of environmental documents or other types of specialized project reports. If there are multiple project alternatives, you should include information about all alternatives that are still under active consideration:

The Village of Crooksville uses a septic tank effluent pump (STEP) system to collect its wastewater. Individual on-site septic tanks are equipped with low-flow, high-head effluent pumps that convey the wastewater to larger lift stations throughout the Village. The collected wastewater is then pumped to the Village of Roseville for treatment. This project will replace two severely corroded lift stations, (B1 & B6). Lift Station B1 is located on the north side of East Main Street west of Sycamore Street, and Lift Station B6 is at the northeast corner of State Street and Mohican Drive. The replacement lift stations will be constructed adjacent to the existing systems. A new 10-inch force main will connect the replacement B1 lift station to the existing 10-inch force main running to Roseville, and a new 4-inch force main will connect the replacement Lift Station B6 to the same existing force main. The two replacement lift stations will use submersible pumps installed in HDPE wet wells. The wet well for new Lift Station B1 will be 11.2 feet in diameter and 33 feet deep. The 5.5-foot diameter wet well for new Lift Station B6 will be 16 feet deep. All construction activities required for this project will be subsurface and require temporary ground disturbance. The completed project will create no permanent changes to the viewshed.

SECTION 3: IDENTIFICATION OF HISTORIC PROPERTIES

Describe whether there are historic properties located within your project APE. To make that determination, use information generated from your own Background Research and Field Survey. Then choose one of the following options to report your findings. Please refer to the Instructions and/or contact an OHPO reviewer if you are unsure about how to identify historic properties for your project.

If you read the Instructions and you're still confused as to which reporting option best fits your project, or you are not sure if your project needs a survey, you may choose to skip this section, but provide as much supporting documentation as possible in all other Sections, then check the box in Section 5.A. to request preliminary comments from OHPO. After reviewing

the information provided, OHPO will then offer comments as to which reporting option is best suited to document historic properties for your project. Please note that providing information to complete this Section will still be required and that asking OHPO for preliminary comments may tend to delay completion of the review process for some projects.

Recording the Results of Background Research and Field Survey:

- A. **Summary of discussions and/or consultation with OHPO** about this project that demonstrates how the Agency Official and OHPO have agreed that no Field Survey was necessary for this project (typically due to extreme ground disturbance or other special circumstances). Please **attach copies** of emails/correspondence that document this agreement. You must explain how the project's potential to affect both archaeological and historic resources were considered.
- B. **A table that includes the minimum information** listed in the OHPO Section 106 Documentation Table (which is generally equivalent to the information found on an inventory form). This information must be printed and mailed with the Project Summary Form. To provide sufficient information to complete this Section, you must also include summary observations from your field survey, background research and eligibility determinations for each property that was evaluated in the project APE.
- C. **OHI (Ohio Historic Inventory) or OAI (Ohio Archaeological Inventory) forms-** New or updated inventory forms may be prepared using the OHI pdf form with data population capabilities, the Internet IForm, or typed on archival quality inventory forms. To provide sufficient information to complete this Section, you must include summary observations from your field survey and background research. You must also include eligibility determinations for each property that was evaluated in the project APE
- D. **A historic or archaeological survey report** prepared by a qualified consultant that meets professional standards. The survey report should meet the Secretary of the Interior's Standards and Guidelines for Identification and OHPO Archaeological Guidelines. You may also include new inventory forms with your survey, or update previous inventory forms. To complete this section, your survey report must include summary observations from your field survey, background research and eligibility determinations for each property that was evaluated within the APE.
- E. **Project Findings.** Based on the conclusions you reached in completing Section 3, please choose one finding for your project. There are (mark one):

Historic Properties Present in the APE:

No Historic Properties Present in the APE:

Although there are historic properties within a few hundred feet of Pump Station B1, they are not visible from the site and the pump station is not visible from the historic properties. The viewshed is obstructed by other buildings. The project will have no effect on historic properties.

There are no historic properties in the viewshed of either Pump B1 or Pump B6.

SECTION 4: SUPPORTING DOCUMENTATION

This information must be provided for all projects.

- A. Photographs must be keyed to a street-level map, and should be included as attachments to this application. Please label all forms, tables and CDs with the date of your submission and project name, as identified in Section 1. You must present enough documentation to clearly show existing conditions at your project site and convey details about the buildings, structures or sites that are described in your submission. Faxed or photocopied photographs are not acceptable. See Instructions for more info about photo submissions or 36 CFR § 800.11 for federal documentation standards.
 - 1. Provide photos of the entire project site and take photos to/from historic properties from/towards your project site to support your determination of effect in Section 5.
 - 2. Provide current photos of all buildings/structures/sites described. (**Photos Attached**)
- B. Project plan, specifications, site drawings and any other media presentation that conveys detailed information about your project and its potential to affect historic properties.
- C. Copies or summaries of any comments provided by consulting parties or the public.

SECTION 5: DETERMINATION OF EFFECT

- A. **Request Preliminary Comments.** For challenging projects, provide as much information as possible in previous sections and ask OHPO to offer preliminary comments or make recommendations about how to proceed with your project consultation. This is recommended if your project involves effects to significant historic properties, if the public has concerns about your project's potential to affect historic properties, or if there may be challenging procedural issues related to your project. Please be aware that providing information in all Sections will still be required and that asking OHPO for preliminary comments may tend to delay completion of the review process for some projects.
 - 1. We request preliminary comments from OHPO about this project:
YES **NO**
 - 2. Please specify as clearly as possible the particular issues that you would like OHPO to examine for your project (for example- help with developing an APE, addressing the concerns of consulting parties, survey methodology, etc.):
- B. **Determination of Effect.** If you believe that you have gathered enough information to conclude the Section 106 process, you may be ready to make a determination of effect and ask OHPO for concurrence, while considering public comments. Please select and mark one of the following determinations, then explain the basis for your decision on an attached sheet of paper:

No historic properties will be affected based on 36 CFR § 800.4(d) (1).

Please explain how you made this determination:


There are no historic properties present in the viewshed for either Pump B1 or Pump B6. Additionally, all construction activities will be subsurface and will create no long-term effect on the viewshed .

No Adverse Effect [36 CFR § 800.5(b)] on historic properties. This finding cannot be used if there are no historic properties present in your project APE. Please explain why the Criteria of Adverse Effect, [36 CFR Part 800.5(a) (1)], were found not to be applicable for your project:

Adverse Effect [36 CFR § 800.5(d) (2)] on historic properties. Please explain why the criteria of adverse effect, [36 CFR Part 800.5(a) (1)], were found to be applicable to your project. You may also include an explanation of how these adverse effects might be avoided, reduced or mitigated:

Please send completed form and supporting documentation to our office through the section106@ohiohistory.org e-mail address. Note that file size is limited to 30 MB. The Ohio SHPO has a federally mandated review time of 30 calendar day. To check your submission was received and logged in for our review, please visit <https://www.ohiohistory.org/preserve/state-historic-preservation-office/hpreviews/section-106-project-status>.

Crooksville WW Lift Station Improvements – USGS – Area of Potential Effects



7.5-MINUTE TOPO QUADRANGLE
Custom Extent
7.5-MINUTE TOPO


Produced by the United States Geological Survey
 North American Datum of 1983 (NAD83)
 World Geodetic System of 1984 (WGS84). Projection and
 1 000-meter grid: Universal Transverse Mercator, Zone 17S
 Data is provided by The National Map (TNM), is the best available at the time of map
 generation, and includes data content from supporting themes of Elevation,
 Hydrography, Geographic Names, Boundaries, Transportation, Structures, Land Cover,
 and Orthoimagery. Refer to associated Federal Geographic Data Committee (FGDC)
 Metadata for additional source data information.

This map is not a legal document. Boundaries may be generalized for this map scale.
 Private lands within government reservations may not be shown. Obtain permission
 before entering private lands. Temporal changes may have occurred since these data
 were collected and some data may no longer represent actual surface conditions.

Learn About The National Map: <https://nationalmap.gov>



z:\project files\ca-dz\crooksvoh\15040 - lift stations b1 and b6 improvements\working\design\cad\exhibits\15040-site map exhibit.dwg



DATE:	AUGUST 29, 2023
PROJECT NO.:	15040
SCALE:	1" = 400'
DESIGNED BY:	MPV
DRAWN BY:	MPV
CHECKED BY:	GFS

CROOKSVILLE ~ PERRY COUNTY ~ OHIO

VILLAGE OF CROOKSVILLE

LIFT STATIONS B1 AND B6 REPLACEMENT


PROJECT LOCATION



1555 WEST MAIN STREET
NEWARK, OH 43055-3939
TEL. 740.344.5451 FAX 614.360.0023

SHEET:
1 OF 1

Village of Crooksville Lift Station Improvements Area of Potential Effects – Perry County



**Photographs of Crooksville
Pump Stations B1 and B2**



1. Pump B1 – Facing East



2. Pump B1 - Facing East – Close Up



3. Pump B1 – Facing North



4. Pump B1 – Facing South



5. Pump B1 – Facing West



6. Pump B1 – Facing West – Close Up



7. Pump B1 – Inside Fence



8. Pump B6 – Facing East



9. Pump B6 – Facing East – Close up



10. Pump Station B6 – Facing South



11. Pump Station B6 – Facing South Close Up



12. Pump Station B6 – Facing West



13. Pump Station B6 – Facing North – Close Up



14. Pump Station 6 – Facing North from Mohican Road.



15. Pump Station B6 – Facing West – Close Up



16. Pump Station B6 – Inside Fence



17. Pump Station B6 – Inside the fence.



IN THE HEART
OF IT ALL!

THE VILLAGE OF
CROOKSVILLE
98 S. BUCKEYE STREET
CROOKSVILLE, OH 43731

PHONE: (740) 982-2656

FAX: (740) 982-7641

CHRIS MOHLER
MAYOR

LACEY TUMBLIN
VILLAGE ADMINISTRATOR

August 7, 2024

Delaware Nation, Oklahoma
Attn: Katelyn Lucas, THPO
PO Box 825
Anadarko, OK 73005

Appalachian Regional Commission
Staff THPO Section 106 Initiation
Crooksville Village, Perry County, Ohio
Crooksville WW Pump Station Improvements

Dear Ms. Lucas:

The Village of Crooksville, Perry County, Ohio, plans to seek financial assistance from the Appalachian Regional Commission (ARC), to replace two wastewater pump stations that have reached end of useful life.

See attached detailed project description, project maps and photos for a full description of the proposed project.

If the ARC elects to fund the Crooksville WW Pump Station Improvements Project, it will become an undertaking subject to review under Section 106 of the National Historic Preservation Act, 54 U.S.C. 306108 and its implementing regulations, 36 CFR Part 800.

The area of potential effect (APE) is defined as an area that includes all Project construction and excavation activity required to construct, modify, improve or maintain any facilities; any rights-of-way or easement areas necessary for construction, operation and maintenance of the Project; all areas used for excavation of borrow material and habitat creation; all construction staging areas, access routes, utilities, spoil areas, and stockpiling areas; and at least a one-half mile radius for the indirect APE for towers and other above ground resources that will cause a visual or otherwise indirect impact to historic districts or properties.

The APE for the referenced project consists of two separate areas within the Village of Crooksville where the existing pump stations are located. A review of the Ohio History Connection on-line records indicates 1 OGS Cemetery, 15 site listings on the Ohio Historic Inventory, and 1 National Register Listing. within a one-mile radius of the project area. Additionally, the APE does not include any federal and/or tribal lands as defined pursuant to 36 CFR § 800.16(x). The Appalachian Regional Commission (ARC) is notifying you about the referenced project because of the possible interest of the Delaware Nation of Oklahoma in Perry County, Ohio. Should the Delaware Nation of Oklahoma elect to participate in the Section 106 review of the referenced project, please notify the Appalachian Regional Commission (through the Rural Community Assistance Program) electronically within 30 days of your receipt of this correspondence. If you prefer to contact ARC directly, you can reach out to Julia Hinten, Appalachia Program Manager, Ohio Department of Development, Ph. 614-728-4878, Email – Julia.Hinten@development.ohio.gov.

Please include with your affirmative response, a description of any specific historic properties or important tribal resources in the APE and your recommendations about the level of effort needed to identify additional historic properties which might be affected by the referenced project. ARC will respect the confidentiality of the information which you provide to the fullest extent possible.

Please submit your response electronically within 30 days of your receipt of this initiation. Should you have any questions or require additional information you may contact me at tlwoodland@glcap.org or 614-706-0002, or you may contact Lacy Tumblin, Village Administrator of the Village of Crooksville, 740-982-2712, lacetyumblin@crooksville.com.

Sincerely,

A handwritten signature in cursive script that reads "Trina Woodland".

Trina Woodland
Sr. Rural Development Specialist

Enclosures: SHPO 106-Documentation



IN THE HEART
OF IT ALL!

THE VILLAGE OF
CROOKSVILLE
98 S. BUCKEYE STREET
CROOKSVILLE, OH 43731

PHONE: (740) 982-2656
FAX: (740) 982-7641

CHRIS MOHLER
MAYOR

LACEY TUMBLIN
VILLAGE ADMINISTRATOR

August 7, 2024

Eastern Shawnee Tribe of Oklahoma
Attn: Lora Nuckolls, THPO
70500 E 128 Rd.
Wyandotte, OK 74370

Appalachian Regional Commission
Staff THPO Section 106 Initiation
Crooksville Village, Perry County, Ohio
Crooksville WW Pump Station Improvements

Dear Ms. Nuckolls:

The Village of Crooksville, Perry County, Ohio, plans to seek financial assistance from the Appalachian Regional Commission (ARC), to replace two wastewater pump stations that have reached end of useful life.

See attached detailed project description, project maps and photos for a full description of the proposed project.

If the ARC elects to fund the Crooksville WW Pump Station Improvements Project, it will become an undertaking subject to review under Section 106 of the National Historic Preservation Act, 54 U.S.C. 306108 and its implementing regulations, 36 CFR Part 800.

The area of potential effect (APE) is defined as an area that includes all Project construction and excavation activity required to construct, modify, improve or maintain any facilities; any rights-of-way or easement areas necessary for construction, operation and maintenance of the Project; all areas used for excavation of borrow material and habitat creation; all construction staging areas, access routes, utilities, spoil areas, and stockpiling areas; and at least a one-half mile radius for the indirect APE for towers and other above ground resources that will cause a visual or otherwise indirect impact to historic districts or properties.

The APE for the referenced project consists of two separate areas within the Village of Crooksville where the existing pump stations are located. A review of the Ohio History Connection on-line records indicates 1 OGS Cemetery, 15 site listings on the Ohio Historic Inventory, and 1 National Register Listing. within a one-mile radius of the project area. Additionally, the APE does not include any federal and/or tribal lands as defined pursuant to 36 CFR § 800.16(x). The Appalachian Regional Commission (ARC) is notifying you about the referenced project because of the possible interest of the Eastern Shawnee Tribe of Oklahoma in Perry County, Ohio. Should the Eastern Shawnee Tribe of Oklahoma elect to participate in the Section 106 review of the referenced project, please notify the Appalachian Regional Commission (through the Rural Community Assistance Program) electronically within 30 days of your receipt of this correspondence. If you prefer to contact ARC directly, you can reach out to Julia Hinten, Appalachia Program Manager, Ohio Department of Development, Ph. 614-728-4878, Email – Julia.Hinten@development.ohio.gov.

Please include with your affirmative response, a description of any specific historic properties or important tribal resources in the APE and your recommendations about the level of effort needed to identify additional historic properties which might be affected by the referenced project. ARC will respect the confidentiality of the information which you provide to the fullest extent possible.

Please submit your response electronically within 30 days of your receipt of this initiation. Should you have any questions or require additional information you may contact me at twoodland@glcap.org or 614-706-0002, or you may contact Lacy Tumblin, Village Administrator of the Village of Crooksville, 740-982-2712, laceytumblin@crooksville.com.

Sincerely,

A handwritten signature in cursive script that reads "Trina Woodland".

Trina Woodland
Sr. Rural Development Specialist

Enclosures: SHPO 106-Documentation



IN THE HEART
OF IT ALL!

THE VILLAGE OF
CROOKSVILLE
98 S. BUCKEYE STREET
CROOKSVILLE, OH 43731

PHONE: (740) 982-2656

FAX: (740) 982-7641

CHRIS MOHLER
MAYOR

LACEY TUMBLIN
VILLAGE ADMINISTRATOR

August 7, 2024

Miami Tribe of Oklahoma
Attn: Logan York, THPO
PO Box 1326
Miami, OK 74355

Appalachian Regional Commission
Staff THPO Section 106 Initiation
Crooksville Village, Perry County, Ohio
Crooksville WW Pump Station Improvements

Dear Mr. York:

The Village of Crooksville, Perry County, Ohio, plans to seek financial assistance from the Appalachian Regional Commission (ARC), to replace two wastewater pump stations that have reached end of useful life.

See attached detailed project description, project maps and photos for a full description of the proposed project.

If the ARC elects to fund the Crooksville WW Pump Station Improvements Project, it will become an undertaking subject to review under Section 106 of the National Historic Preservation Act, 54 U.S.C. 306108 and its implementing regulations, 36 CFR Part 800.

The area of potential effect (APE) is defined as an area that includes all Project construction and excavation activity required to construct, modify, improve or maintain any facilities; any rights-of-way or easement areas necessary for construction, operation and maintenance of the Project; all areas used for excavation of borrow material and habitat creation; all construction staging areas, access routes, utilities, spoil areas, and stockpiling areas; and at least a one-half mile radius for the indirect APE for towers and other above ground resources that will cause a visual or otherwise indirect impact to historic districts or properties.

The APE for the referenced project consists of two separate areas within the Village of Crooksville where the existing pump stations are located. A review of the Ohio History Connection on-line records indicates 1 OGS Cemetery, 15 site listings on the Ohio Historic Inventory, and 1 National Register Listing. within a one-mile radius of the project area. Additionally, the APE does not include any federal and/or tribal lands as defined pursuant to 36 CFR § 800.16(x). The Appalachian Regional Commission (ARC) is notifying you about the referenced project because of the possible interest of the Miami Tribe of Oklahoma in Perry County, Ohio. Should the Miami Tribe of Oklahoma elect to participate in the Section 106 review of the referenced project, please notify the Appalachian Regional Commission (through the Rural Community Assistance Program) electronically within 30 days of your receipt of this correspondence. If you prefer to contact ARC directly, you can reach out to Julia Hinten, Appalachia Program Manager, Ohio Department of Development, Ph. 614-728-4878, Email – Julia.Hinten@development.ohio.gov.

Please include with your affirmative response, a description of any specific historic properties or important tribal resources in the APE and your recommendations about the level of effort needed to identify additional historic properties which might be affected by the referenced project. ARC will respect the confidentiality of the information which you provide to the fullest extent possible.

Please submit your response electronically within 30 days of your receipt of this initiation. Should you have any questions or require additional information you may contact me at twoodland@glcap.org or 614-706-0002, or you may contact Lacy Tumblin, Village Administrator of the Village of Crooksville, 740-982-2712, lacetyumblin@crooksville.com.

Sincerely,

A handwritten signature in cursive script that reads "Trina Woodland".

Trina Woodland
Sr. Rural Development Specialist

Enclosures: SHPO 106-Documentation



IN THE HEART
OF IT ALL!

THE VILLAGE OF
CROOKSVILLE
98 S. BUCKEYE STREET
CROOKSVILLE, OH 43731

PHONE: (740) 982-2656
FAX: (740) 982-7641

CHRIS MOHLER
MAYOR

LACEY TUMBLIN
VILLAGE ADMINISTRATOR

August 7, 2024

Seneca Cayuga Nation
Attn: William Tarrant, THPO
PO Box 453220
Grove, OK 74345

Appalachian Regional Commission
Staff THPO Section 106 Initiation
Crooksville Village, Perry County, Ohio
Crooksville WW Pump Station Improvements

Dear Mr. Tarrant:

The Village of Crooksville, Perry County, Ohio, plans to seek financial assistance from the Appalachian Regional Commission (ARC), to replace two wastewater pump stations that have reached end of useful life.

See attached detailed project description, project maps and photos for a full description of the proposed project.

If the ARC elects to fund the Crooksville WW Pump Station Improvements Project, it will become an undertaking subject to review under Section 106 of the National Historic Preservation Act, 54 U.S.C. 306108 and its implementing regulations, 36 CFR Part 800.

The area of potential effect (APE) is defined as an area that includes all Project construction and excavation activity required to construct, modify, improve or maintain any facilities; any rights-of-way or easement areas necessary for construction, operation and maintenance of the Project; all areas used for excavation of borrow material and habitat creation; all construction staging areas, access routes, utilities, spoil areas, and stockpiling areas; and at least a one-half mile radius for the indirect APE for towers and other above ground resources that will cause a visual or otherwise indirect impact to historic districts or properties.

The APE for the referenced project consists of two separate areas within the Village of Crooksville where the existing pump stations are located. A review of the Ohio History Connection on-line records indicates 1 OGS Cemetery, 15 site listings on the Ohio Historic Inventory, and 1 National Register Listing. within a one-mile radius of the project area. Additionally, the APE does not include any federal and/or tribal lands as defined pursuant to 36 CFR § 800.16(x). The Appalachian Regional Commission (ARC) is notifying you about the referenced project because of the possible interest of the Seneca Cayuga Nation in Perry County, Ohio. Should the Seneca Cayuga Nation elect to participate in the Section 106 review of the referenced project, please notify the Appalachian Regional Commission (through the Rural Community Assistance Program) electronically within 30 days of your receipt of this correspondence. If you prefer to contact ARC directly, you can reach out to Julia Hinten, Appalachia Program Manager, Ohio Department of Development, Ph. 614-728-4878, Email – Julia.Hinten@development.ohio.gov.

Please include with your affirmative response, a description of any specific historic properties or important tribal resources in the APE and your recommendations about the level of effort needed to identify additional historic properties which might be affected by the referenced project. ARC will respect the confidentiality of the information which you provide to the fullest extent possible.

Please submit your response electronically within 30 days of your receipt of this initiation. Should you have any questions or require additional information you may contact me at twoodland@glcap.org or 614-706-0002, or you may contact Lacy Tumblin, Village Administrator of the Village of Crooksville, 740-982-2712, lacetyumblin@crooksville.com.

Sincerely,

A handwritten signature in cursive script that reads "Trina Woodland".

Trina Woodland
Sr. Rural Development Specialist

Enclosures: SHPO 106-Documentation