

Village of Crooksville

Workshop Minutes

March 28th, 2022

Mayor Mohler calls the meeting to order with the following members present; Mr. Hampton, Mr. Locke, Mr. Loomis, Mr. Redfern, Ms. Smith, and Mr. Walters. Lacey Tumblin was also present.

Brandon Stokes is here to introduce himself to Council, he has applied to be a part time police officer and help us out where and when he can. Representatives from little league are here to discuss the electrical box for the concession stand at the football field in the park. Along with some other upgrades and plans that they have.

Lloyd Harley who owns LE Harley Water Delivery is wanting to use a hydrant to fill his truck and to be charged per gallon. He uses an old fire truck that holds 1,500 gallons. He is unable to use the Bulk Water Sales because it is too tall. The price for bulk water is two cents per gallon. It would be based on the honor system which no one really agrees is right to do.

Aaron Snyder who was discussed around a month and a half ago about the lot split on Sycamore Street is needing more paperwork signed for the other side of the property. As long as it's okay with Jan and Adam to do then it can be signed.

The pool house is needing 4 new windows put in. The quote from Modern Glass for removal of the old windows and replaced with new windows and screens came in at \$1,359.28. The old ones are in pretty bad shape.

Council had talked about putting speed bumps in the alley between Moore and Main Street, they decided on making them out of cold mix to save on money for now.

Hopefully the disc golf course will be going up within the next couple weeks.


We've gotten a few applications for the pool so far. It was decided that the park restrooms will be closed at night and then reopened in the mornings.

Mr. Redfern brings up doing an energy audit for the Rec Center to try and help figure out how to lower the AEP bill.

Without any further discussion, the meeting is adjourned.



CHRIS MOHLER
Mayor



MARILYN HORNER
Fiscal Officer